



Mediation in RCTs: examples

Graeme MacLennan, Kim Goldsmith, Richard Emsley Facilitator: Simon Bond

Centre for Healthcare Randomised Trials Health Services Research Unit University of Aberdeen



Overview

Opportunities missed

Example (Catheters)

Challenges

Irons in fire





RESEARCH REPORTS

Clinical

J.E. Clarkson¹, S. Turner^{1*}, J.M. Grimshaw², C.R. Ramsay³, M. Johnston³, A. Scott⁴, D. Bonetti¹, C.J. Tilley¹, G. Maclennan³, R. Ibbetson⁵, L.M.D. MacPherson⁶, and N.B. Pitts¹

Changing Clinicians' Behavior: a Randomized Controlled Trial of Fees and Education


- 2x2 factorial C-RCT
- Fissure sealants on children's teeth
- Fees worked (+10%)
- Education did not






Randomized Trial of Intensive Bisphosphonate Treatment Versus Symptomatic Management in Paget's Disease of Bone

Anne L Langston,^{1,2} Marion K Campbell,³ William D Fraser,⁴ Graeme S MacLennan,³ Peter L Selby,⁵ and Stuart H Ralston^{1,2} for the PRISM Trial Group





- No effect on fracture
- Or any other outcome

	Silver alloy catheter	Nitrofural catheter	PTFE catheter control
Symptomatic antibiotic-treated UTI within 6 weeks of randomisation (primary outcome)			
Incidence	263/2097 (12.5%)	228/2153 (10.6%)	271/2144 (12.6%)
Absolute risk difference (95% CI) vs control	-0·1% (-2·4 to 2·2)	-2·1% (-4·2 to 0·1)	
Unadjusted odds ratio (95% CI)	0.99 (0.81 to 1.22; p=0.92)	0.82 (0.66 to 1.01; p=0.037)	
Adjusted odds ratio (95% CI)	0.96 (0.78 to 1.19; p=0.69)	0.81 (0.65 to 1.01; p=0.031)	
Symptomatic antihiptic treated LITI up to 6 weeks after randomication accordated with nacitive using culture (> 10,000 cfu nor ml.)			

Antimicrobial catheters for reduction of symptomatic urinary tract infection in adults requiring short-term catheterisation in hospital: a multicentre randomised controlled trial



Robert Pickard*, Thomas Lam*, Graeme MacLennan, Kath Starr, Mary Kilonzo, Gladys McPherson, Katie Gillies, Alison McDonald, Katherine Walton, Brian Buckley, Cathryn Glazener, Charles Boachie, Jennifer Burr, John Norrie, Luke Vale, Adrian Grant, James N'Dow

- Longer catheterisation increases risk of UTI
- PFTE is more comfortable
- Patients can tolerate longer
- Mediation?



Other examples

- Knee surgery
- Male infertility
- Sleep in children with neurodevelopmental disorders
- Implementation Science





Hashtags #RealWorldMedStats

#statistics

#causalmediation



- @KimberleyGol Kim
- @KCLBHI Kim and Richard's Department
- @gsmaclennan Graeme
- @hsru_aberdeen Graeme's Department
- @richardaemsley Richard

